

# Keurig® Vue™ Brewer

## Use & Care Guide



**vue**<sup>™</sup>

# IMPORTANT SAFEGUARDS

## Safe Operation & Use

**When using electrical appliances, basic safety precautions should be followed, including the following:**

1. Read all instructions before using.
2. Do not touch hot surfaces. Use handles and knobs when available.
3. This appliance must be properly installed and located in accordance with these instructions before it is used.
4. The use of accessory attachments not recommended by the appliance manufacturer may result in fire, electrical shock or injury to persons.
5. Do not place on or near a hot gas or electric burner, or in a heated oven.
6. Do not use outdoors.
7. To protect against fire, electric shock and injury do not immerse cords, plugs, or the appliance in water or any other liquid.
8. Do not overfill the Water Reservoir with water.
9. Use **only water** in this appliance! Do not put any other liquids or foods in the Water Reservoir except as instructed in the Cleaning Instructions in this guide.
10. Turn off and unplug the Brewer before cleaning or maintenance. Allow to cool before putting on or taking off parts and before cleaning the appliance.
11. For best operation, plug the appliance into its own electrical outlet on a dedicated circuit to prevent flickering of lights, blowing of fuses or tripping a circuit breaker.
12. Do not operate any appliance with a damaged cord or plug or after the appliance malfunctions or is damaged in any manner. Contact Keurig Customer Service to report any malfunction of or damage to the Brewer.
13. Do not let the cord hang over the edge of the table or counter, or touch hot surfaces.
14. To disconnect, press the Power Button on the Brewer to 'OFF' status and then remove the plug from the wall outlet.
15. Close supervision is necessary when any appliance is used by or near children.
16. **Do not lift the Handle to open the Brewer while brewing is in progress.**
17. Always keep the Water Reservoir Lid on the Water Reservoir unless you are refilling it.
18. This appliance is equipped with a power cord having a grounding wire with a grounding plug. The appliance must be grounded using a 3-hole properly grounded outlet. In the event of an electrical short circuit, grounding reduces the risk of electrical shock.
19. If the outlet is a standard 2-prong wall outlet, it is your personal responsibility and obligation to have it replaced with a properly grounded 3-prong wall outlet.
20. Do not, under any circumstances, cut or remove the third (ground) prong from the power cord or use an adapter.
21. Consult a qualified electrician if the grounding instructions are not completely understood, or if doubt exists as to whether the appliance is properly grounded.
22. Do not use the appliance for other than its intended use.

**CAUTION:** There is extremely hot water in the Vue™ Cup Holder during the brew process. To avoid risk of injury, do not lift the Handle or remove the Brew Head during the brewing process. Do not remove or puncture the lid of the Vue™ Cup prior to brewing. After brewing, use caution when removing the Vue™ Cup, as it will be hot.

**SHORT CORD INSTRUCTIONS:** A short power supply cord is provided to reduce the risk of becoming entangled in or tripping over a longer cord.

Longer detachable power-supply or extension cords are available and may be used if care is exercised in their use.

If an extension cord is used, (1) the marked electrical rating of the cord set or extension cord should be at least as great as the electrical rating of the appliance; (2) the cord should be arranged so that it will not drape over the counter top or tabletop where it can be pulled on by children or tripped over unintentionally; and (3) the extension cord must include a 3-prong grounding plug.

**THIS PRODUCT IS FOR HOUSEHOLD USE ONLY.**

## SAVE THESE INSTRUCTIONS.

**WARNING** THIS PRODUCT CONTAINS CHEMICALS, INCLUDING LEAD, WHICH IS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

 <p><b>WARNING</b> RISK OF FIRE OR ELECTRIC SHOCK DO NOT OPEN</p>	<p><b>WARNING:</b> TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT REMOVE THE BOTTOM COVER. NO USER SERVICEABLE PARTS ARE INSIDE. REPAIR SHOULD BE DONE BY AUTHORIZED SERVICE PERSONNEL ONLY.</p>
--	--

**WARNING TO USERS AND PARENTS: DO NOT** permit children to use Brewer unless there is adult supervision. Brewer dispenses very hot water.



## Table of Contents

Section 1	Brewer Overview	6
Section 2	Preparing Your Brewer	8
Section 3	Using Your Brewer	9
Section 4	Setting the Time & Temperature	17
Section 5	Caring For Your Brewer	21
Section 6	Recycling Vue™ Cup Portion Packs	23
Section 7	Troubleshooting	24
Section 8	Warranty	25

### Record Your Brewer Serial Number Above

The serial number can be found on the bottom of the Brewer box and on the left side of the Brewer once the Water Reservoir has been removed. Removing the serial number label from the Brewer will void warranty.



- A "BREW" Button
- B Power Button
- C Touchscreen
- D Handle
- E Brew Head
- F Power Cord
- G Drip Tray
- H Adjustable Drip Tray Plate
- I Water Reservoir
- J Water Reservoir Flip Top Lid

The Keurig® Vue™ Brewer is not for use with K-Cup® portion packs.



Step 1

### Step 1

Remove all adhesive tape from Brewer and label from Touchscreen. Behind the Brewer is a convenient compartment to hold the Power Cord for storage.

Plug cord into grounded outlet.

*If Brewer has been exposed to temperatures below freezing, allow Brewer at least two hours to reach room temperature before brewing. A frozen or extremely cold Brewer will not operate.*



Step 2

### Step 2

Carefully remove Water Reservoir Lid. Remove the Water Reservoir by lifting up and away from the Brewer.

Rinse Water Reservoir with fresh water. Return Water Reservoir to Brewer. Fill the Water Reservoir to the max fill line. Bottled or filtered water is recommended. Place Lid on Water Reservoir.

See page 16 for options for how to add water to the Water Reservoir.



Step 3

### Step 3

Place a 10 oz. mug toward the back of the Drip Tray and press the Power Button.

*The Brewer Handle should be in the lowered position.*



Step 4

### Step 4

When the Brewer is first turned on, the Touchscreen will indicate "Preheating" as the Brewer heats the water. Wait until the Touchscreen indicates "Lift to Brew" (about four minutes).

*If there is not enough water in the Water Reservoir, the Touchscreen will indicate "Please Add Water."*

Lift and lower the Brewer Handle, then press the flashing "BREW" Button. Your Brewer will dispense 8 oz. of hot water into your mug. Once complete, discard the hot water. **You are ready for your first brew!**

## Brew what you love, the way you love it.

The new Keurig® Vue™ Brewer, with Custom Brew Technology™, gives you total control to brew your way: stronger, bigger, hotter and with more choices than ever before. Enjoying a perfect cup of coffee has never been easier.

So what are you in the mood for today?

### How to Use the Vue™ Brewer Touchscreen

**Beverage Category**

- Coffee & Tea
- Café
- Brew Over Ice

**Beverage Type**

- Coffee
- Tea/Other
- Hot Cocoa

**Strength Selection (Coffee Only)**

- Strong

**Beverage Size**

Available Range

Coffee	4 - 18 oz.
Tea/Other	6 - 12 oz.
Hot Cocoa	6 - 10 oz.



Coffee &amp; Tea



## Brewing Coffee, Tea, Hot Cocoa and Hot Apple Cider

### Choose Vue™ Cup Portion Pack

Make sure your Vue™ Cup features the **Coffee & Tea** Icon.

Lift the Brewer Handle, insert the Vue™ Cup into the Holder and lower the Brewer Handle.



### Select Beverage Type & Size

After you lower the Brewer Handle, the Touchscreen will display as pictured.

If making coffee, ensure "Coffee" remains highlighted. If making tea or hot cocoa, select the correct beverage type. For hot cider, select "Tea/Other." Select your beverage size using the + and - buttons at the bottom of the Touchscreen.

#### Strength Selection

The "Strong" setting gives you a more robust brew by slowly pulsing water through the Vue™ Cup. To brew a stronger cup, simply select "Strong." (Available only for coffee.)

*For Café Escapes® beverages, please select the Hot Cocoa setting for an optimal brew.*


### Press & Enjoy!

Do not remove mug or lift the Brewer Handle until "Enjoy!" appears on Touchscreen.

Remove the Vue™ Cup after brewing is complete.

The Vue™ Cup will be HOT after brewing. Use caution when removing. Allow it to cool completely before handling.

Immediately after using a hot cocoa portion pack, we recommend running a cleansing brew to avoid clogging. See page 15 for directions.



Available Sizes



### For Smaller Mugs

Lift the Adjustable Drip Tray Plate and rotate a third of a turn until it drops into place. Make sure it is seated securely in the elevated position before placing your cup on it.



### For Travel Mugs

If you have an extra large travel mug, remove the Drip Tray to allow your mug to fit.

For larger brew sizes, we recommend using Travel Mug Vue™ Cups, which are designed to deliver a great tasting travel mug-sized brew.

Follow the instructions for brewing a coffee (refer to page 10), but select one of the larger size options (12 oz. to 18 oz.). Note that Travel Mug beverages have been optimized at 14 & 16 oz. settings. Enjoy your travel mug brew!



Available Sizes



Café



## Brewing Café Beverages

Requires 2 portion packs

### Step 1

#### Choose Café 1 Portion Pack

Lift the Brewer Handle, insert the Vue™ Cup into the Holder and lower the Brewer Handle.



#### Select "Café"

After you select "Café," the Touchscreen will display as pictured. Ensure that "Froth" remains highlighted. Froth is available in the 4 oz. brew size only.

### Press



After the froth is prepared, lift the Brewer Handle and carefully remove the portion pack. The Touchscreen will display as pictured on page 13. Proceed to Step 2.

*The Vue™ Cup will be HOT after brewing. Use caution when removing. Allow it to cool completely before handling.*

### Step 2

#### Choose Café 2 Portion Pack

Lift the Brewer Handle, insert the Vue™ Cup into the Holder and lower the Brewer Handle.



#### Select Beverage Type & Size

After you insert the second Vue™ Cup and lower the Brewer Handle, the Touchscreen will continue to display as pictured.

**Coffee:** For a coffee-based café beverage, ensure that "Coffee" remains highlighted. "Strong" is the default setting for café beverages. De-select if desired.

**Tea:** For a tea-based café beverage, select "Tea/Other."

Select your beverage size using the + and - buttons at the bottom of the Touchscreen. *The amount you select will be ADDED to the existing 4 oz. of froth.*

### Press & Enjoy!

*Do not remove mug or lift the Brewer Handle until "Enjoy!" appears on Touchscreen.*

*Remove the Vue™ Cup after brewing is complete.*

*The Vue™ Cup will be HOT after brewing. Use caution when removing. Allow it to cool completely before handling.*



Available Sizes







Brew Over Ice

Available Sizes\*  
6oz 8oz 10oz

## Brewing Over Ice

### Prepare Your Cup

Fill a 16 oz. plastic cup with ice. Do not use glass. Remove the Drip Tray if necessary and place cup under the Brew Head.

### Choose Vue™ Cup Portion Pack

Make sure your Vue™ Cup features the **Brew Over Ice** Icon.

Lift the Brewer Handle, insert the Vue™ Cup into the Holder and lower the Brewer Handle.



### Select Beverage Type & Size

Select the "Brew Over Ice" tab. The Touchscreen will display as pictured.

If making iced coffee, ensure "Iced Coffee" remains highlighted. If making iced tea or iced café drinks, select the correct beverage type.

Select your beverage size using the + and - buttons at the bottom of the Touchscreen.

\* Available sizes for Iced Café are 6 oz. and 8 oz.

### Press & Enjoy!

Do not remove mug or lift the Brewer Handle until "Enjoy!" appears on Touchscreen.

Remove the Vue™ Cup after brewing is complete.

The Vue™ Cup will be HOT after brewing. Use caution when removing. Allow it to cool completely before handling.

## What is a Cleansing Brew?

After brewing certain Vue™ Cup portion pack varieties such as hot cocoa, iced tea or a café beverage, we recommend performing a cleansing brew to clear your Brewer of traces of the previous beverage. It is an easy 3-step process:

**Step 1** Take a used Vue™ Cup and peel off the lid. Discard the lid and any filter which adheres to it. Ensure the empty Vue™ Cup is clean.

**Step 2** Place the EMPTY Vue™ Cup in the Brewer and place a mug on the Drip Tray.

**Step 3** Lower the Handle and press "BREW." The Brewer will dispense 8 oz. of hot water into your mug and cleanse the Brewer. Once complete, discard the water and carefully remove the Vue™ Cup. The cleansing is complete.

## Stopping the Brewing Process

If you need to stop the brewing process after it has started, press and release the Power Button to turn the Brewer off. The beverage flow will stop and the Brewer will shut off.

*The Vue™ Cup will be HOT after brewing. Use caution when removing. Allow it to cool completely before handling.*

To turn the Brewer back on, place an empty mug on the Drip Tray and press the Power Button. Since the previous brew was interrupted, some water may drip into the mug during preheating.

We recommend that you perform a cleansing brew before brewing your next beverage (see above). If this is not done, the Brewer may deliver an additional amount of water for your next beverage.

## Dispensing Hot Water

If you need hot water for cooking (instant soup or oatmeal, for example), place a cup or bowl below the Brew Head. Place your cup or bowl as far back as possible. Lift and lower the Handle WITHOUT inserting a Vue™ Cup. Select "Coffee" (do not select "Strong") and press "BREW." The Brewer will dispense hot water into your cup or bowl.



Step 1



Step 2



Step 3





## Adding Water

When the water supply is low, the Touchscreen will display as pictured and the Water Reservoir light will flash.

*Bottled or filtered water is recommended.*

*When brewing at sizes larger than 12 oz., if the Brewer senses the water level is low, the brewing process will stop until the Water Reservoir is refilled. Once enough water has been added, the brewing process will resume.*

*Do not remove the Water Reservoir during the brewing process.*

There are three options for filling the Water Reservoir:

### Option 1

Remove the Water Reservoir Lid and pour water directly into the Water Reservoir. Replace the Lid.



### Option 2

Instead of removing the Water Reservoir Lid, you can lift the Flip Top. Pour water into the Water Reservoir. Lower the Flip Top.



### Option 3

You may also remove the Water Reservoir from the Brewer to fill it. Replace the Lid and return the filled Water Reservoir to the Brewer.

*Do not remove the Water Reservoir during the brewing process.*



## Setting the Clock

When the Brewer is first turned on, the clock will appear on the Touchscreen. Follow the steps below to set the time.

*You must set the clock if you will be using the Auto On/Off feature.*

### Step 1

Select the settings icon  on the Touchscreen, then select "Time" and finally "Clock."

### Step 2




The next screen will allow you to set the clock.


Use the + and - buttons to set the appropriate time.

The clock is on a 12h setting and will switch to AM/PM once the 12h mark is passed. You have a choice to display the clock in "Analog" or "Digital" on the Touchscreen.

### Step 3

Once the time is set, select "ON" to save and you will return to the Time Menu. Select the back arrow to return to the previous screen.





## Programming the On/Off Feature

By programming your Brewer to turn on each morning, you will never have to wait for the Brewer to warm up to brew your first cup. It takes the Brewer approximately four minutes to warm up from room temperature.

*The clock must be set in order to program the On/Off feature. See page 17 for directions.*

Here are your options:

**Option 1: Leave your Brewer on at all times.** The Brewer can be left on at all times for that quick cup at a moment's notice. If you need to turn off the Brewer, simply press the Power Button. Your clock settings will be retained.

**Option 2: Set the "Auto On" and "Auto Off" settings to turn your Brewer On/Off at a specific time.**

Both options follow a similar process:

### Step 1

Select the settings icon **i** on the Touchscreen, then select "Time" and either "Auto On" or "Auto Off."

### Step 2

The next screen will allow you to set the Auto On/Off time. Use the + and - buttons to set to the appropriate time. The clock is on a 12h setting and will switch to AM/PM once the 12h mark is passed.

### Step 3

Once complete, select "ON" and you will be returned to the Time Menu. If you would like to disable the Auto On/Off Setting, return to the appropriate setting within the clock directory, select "OFF." Select the back arrow to return to the previous screen.

## Energy Saver Mode

Energy Saver mode turns the Brewer off after a selected period of time. Here is how to set it:

### Step 1




Select the settings icon **i** on the Touchscreen, then select "Time" and finally "Energy Saver."


### Step 2

The next screen will allow you to choose how long the Brewer should remain on after your last brew. Use the + and - buttons to select the number of hours.

### Step 3

Once complete, select "ON" and you will return to the Time Menu. If you would like to disable the Energy Saver mode, return to the Energy Saver Setting, select "OFF." Select the back arrow to return to the previous screen.





## Setting the Brew Temperature

The Brewer has a preset temperature of 192° F. You can adjust the temperature up or down in 1 degree increments within the Brewer range (187° - 197° F). Once set, your beverages will be brewed at the selected temperature.

At high altitudes if boiling occurs, use the temperature adjustment to lower the temperature so that boiling does not occur.

Here is how to set the brew temperature:

### Step 1

Select the settings icon  on the Touchscreen, then select "Temperature."

### Step 2

This screen will allow you to set the temperature using the + and - buttons.

### Step 3

Once the temperature has been set, select "SET" and you will be returned to the Settings Menu. Select the back arrow to return to the previous screen.

## Cleaning & Maintenance

### CLEANING EXTERNAL PARTS

Cleaning of the Brewer's external parts is recommended one to two times per month. Never immerse the Brewer in water or other liquids. The Housing and other external parts may be cleaned with a soapy, damp, non-abrasive cloth.

The Drip Tray can accumulate up to 13 oz. of overflow. The Drip Tray and the Adjustable Drip Tray Plate should be periodically inspected and rinsed clean. To remove the Drip Tray, simply slide it toward you, keeping it level at all times to avoid spilling. The Drip Tray should be cleaned with a soapy, damp, non-abrasive cloth. **The Drip Tray and Adjustable Drip Tray Plate should not be put in the dishwasher.**

### CLEANING THE BREW HEAD

**Step 1** Lift the Brewer Handle.

**Step 2** Grip and press the buttons on both sides of the Brew Head and tilt it down.

**Step 3** Pull the Brew Head toward you to remove.


Carefully clean the Brew Head with a soapy, damp, non-abrasive cloth and rinse thoroughly. **The Brew Head should not be placed in the dishwasher.**

Return the Brew Head by sliding it gently back into place until you hear a click. Lower the Brewer Handle and you are ready to brew again.

### CLEANING THE WATER RESERVOIR & WATER RESERVOIR LID

**The Water Reservoir and Lid should not be put into the dishwasher.** Clean them with a damp, soapy, non-abrasive cloth and rinse thoroughly. Do not dry the inside of the Water Reservoir with a cloth as lint may remain.

*CAUTION: Rinse the Water Reservoir thoroughly after cleaning to ensure that no cleaners or cleaning solutions remain in this area as they may contaminate the water supply in the Brewer.*



## De-Scaling Your Brewer

Mineral content in water varies from place to place. Depending on the mineral content of the water in your area, calcium deposits or scale may build up in your Brewer. Scale is non-toxic, but left unattended, it can hinder Brewer performance. De-scaling your Brewer helps maintain the heating system and other internal parts of the Brewer that come in contact with water.

**The Brewer should be de-scaled every three to six months to ensure optimal performance.** It is possible for calcium deposits to build up faster, making it necessary to de-scale more often.

*The de-scale process requires the Brewer to stand for at least 4 hours. During this period, the Brewer should not be used to brew beverages.*

## Prepare

**Step 1** To begin, you will need:

- At least 48 ounces of undiluted white vinegar
- A large ceramic mug, at least 10 oz. (do not use a paper cup)

**Step 2** Empty the water in the Water Reservoir.

**Step 3** Disable "Auto Off" and "Energy Saver" modes (refer to pages 18 and 19).

## Fill & Clean

**Step 1** Pour at least 48 ounces of the vinegar into the Water Reservoir.

**Step 2** Place the mug on the Drip Tray Plate. Lift the Handle and insert a clean, empty Vue™ Cup portion pack. Lower the Handle and press "BREW." The Brewer will dispense 8 oz. of hot vinegar into your mug. Dispose of the vinegar.

**Step 3** Repeat the process until "Please Add Water" is indicated.

**Step 4** Let the Brewer stand for at least 4 hours while still on.

**Step 5** Discard the remaining vinegar from the Water Reservoir and rinse the Reservoir thoroughly. Remove the empty Vue™ Cup from the Brewer.

## Rinse

**Step 1** Ensure the Water Reservoir is filled with fresh water.

**Step 2** Place a large mug on the Drip Tray Plate and run a cleansing brew. Pour the contents of the large mug into the sink.

**Step 3** Repeat the cleansing brew process until "Please Add Water" is indicated.

**Step 4** You may need to perform additional cleansing brew cycles (refer to page 15) if you notice any residual taste.

Recycle your Vue™ Cup portion packs wherever #5 plastics are accepted. #5 plastics may not be recyclable in your community today, so please check locally.

Simply follow these simple steps:

## Step 1

Once brewing is complete, lift the Brewer Handle and carefully remove the Vue™ Cup by holding the outer rim.

*The Vue™ Cup will be HOT after brewing. Use caution when removing. Allow it to cool completely before handling.*



## Step 2

Once cool, separate the base of the portion pack by carefully pulling the tab back. Any filter will adhere to the lid.



## Step 3

Once separated, discard the lid and any attached filter. Recycle your Vue™ Cup base wherever #5 plastics are accepted. #5 plastics may not be recyclable in your community today, so please check locally.



SITUATION	SOLUTION
<b>Brewer does not have power</b>	<ul style="list-style-type: none"> <li>• Plug Brewer into an independent outlet.</li> <li>• Check to be sure that it is plugged in securely.</li> <li>• Plug into a different outlet.</li> <li>• Reset your home's circuit breaker if necessary.</li> <li>• Make sure that the Power Button has been turned on and Touchscreen is illuminated.</li> </ul>
<b>Brewer will not brew</b>	<ul style="list-style-type: none"> <li>• After placing the Vue™ Cup portion pack in the Vue™ Cup Holder, make sure the Handle is pushed down securely and the Touchscreen displays the beverage options. Push the flashing "BREW" Button.</li> <li>• If the Touchscreen indicates "Please Add Water," add water to the Water Reservoir or make sure the Water Reservoir is seated properly in its base.</li> <li>• If the Touchscreen indicates "Please Add Water" even after refilling, contact Customer Service at 1.866.901.BREW (2739).</li> <li>• The Brew Head may need to be cleaned or the Brewer needs to be de-scaled (refer to pages 21 and 22).</li> </ul>
<b>Brewer brews only a partial cup</b>	<ul style="list-style-type: none"> <li>• Clean the Brew Head if necessary (refer to page 21).</li> <li>• The Water Reservoir may have been removed during brewing. Replace the Water Reservoir and perform cleansing brews (refer to page 15) without a Vue™ Cup.</li> <li>• De-scale the Brewer (refer to page 22).</li> <li>• If you have repeated the de-scale procedure on your Brewer two times and it is still only brewing a partial cup, contact Customer Service at 1.866.901.BREW (2739).</li> </ul>
<b>Brewer shuts off or turns on automatically</b>	<ul style="list-style-type: none"> <li>• Check to make sure that the Auto On/Off and/or Energy Saver settings have not been set. Please refer to pages 18 and 19 for instructions.</li> </ul>
<b>Water Reservoir light is flashing</b>	<ul style="list-style-type: none"> <li>• The water level is low and a full cup cannot be brewed. Add water to Water Reservoir.</li> <li>• If the water level is not low, remove the Water Reservoir, empty and refill it. Replace the Water Reservoir and wait for the Water Reservoir light to stop flashing.</li> </ul>
<b>The Touchscreen indicates "The Brew Process Has Been Interrupted"</b>	<ul style="list-style-type: none"> <li>• If the Brewer Handle has been lifted during the brewing process, this message will be displayed. Lower the Brewer Handle to resume.</li> </ul>

### Limited One Year Warranty

Keurig warrants that your Brewer will be free of defects in materials or workmanship under normal home use for one year from the date of purchase. It is recommended that you fill out and return the warranty card enclosed with your Brewer so that your purchase information will be stored in our system. Keurig will, at its option, repair or replace the Brewer without charge upon its receipt of proof of the date of purchase. If a replacement Brewer is necessary to service this warranty, the replacement Brewer may be new or reconditioned. If a replacement Brewer is sent, a new limited one year warranty will be applied to the replacement Brewer.

This warranty only applies to Brewers operated in the United States and Canada. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state and, in the case of Canada, from province to province.

### What is not covered by the Limited Warranty?

THIS WARRANTY DOES NOT COVER CONSEQUENTIAL OR INCIDENTAL DAMAGES SUCH AS PROPERTY DAMAGE AND DOES NOT COVER INCIDENTAL COSTS AND EXPENSES RESULTING FROM ANY BREACH OF THIS WARRANTY, EVEN IF FORESEEABLE. Some states or provinces do not allow the exclusion or limitations of incidental or consequential damages, so the above limitation or exclusion may not apply to you depending on the state or province of purchase.

Nor does this warranty cover damages caused by services performed by anyone other than Keurig or its authorized service providers, use of parts other than genuine Keurig parts, or external causes such as abuse, misuse, inappropriate power supply or acts of God.

### Other Limitations

THIS WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ANY OTHER EXPRESS WARRANTY, WHETHER WRITTEN OR ORAL. IN ADDITION, KEURIG HEREBY SPECIFICALLY DISCLAIMS ALL OTHER WARRANTIES WITH RESPECT TO YOUR V700 BREWER, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. Some states or provinces do not allow disclaimers of such implied warranties or limitations on how long an implied warranty lasts, so the above limitation may not apply to you depending on the state or the province of purchase.

### How do you obtain warranty service?

Keurig® Brewers are high-quality appliances and, with proper care, are intended to provide years of satisfying performance. However, should the need arise for warranty servicing, simply call Keurig Customer Service at our toll free phone number 1.866.901.BREW (2739). Please do not return your Brewer for servicing without first speaking to Keurig Customer Service to obtain an Authorization to Return number (ATR). Keurig® Brewers returned without an ATR number will be returned to the sender without servicing.

**Keurig, Incorporated**  
**55 Walkers Brook Drive**  
**Reading, MA 01867**  
**1.866.901.BREW (2739)**

This image shows a full page of white paper with horizontal dashed lines, typical of primary school writing paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.[illegible]



Keurig, Incorporated  
55 Walkers Brook Drive  
Reading, MA 01867

Keurig, Incorporated is a  
wholly-owned subsidiary  
of Green Mountain  
Coffee Roasters, Inc.

For Household Use Only  
Made and printed in China  
© 2011 Keurig, Incorporated  
All rights reserved



[www.keurig.com](http://www.keurig.com) | 1.866.901.BREW